

NYS Office of Alcoholism and Substance Abuse Services
Client Discharge Report
FOR DISCHARGES DATED 4/1/2009 AND BEYOND

Provider Number _____

Program Number _____

Provider Client ID _____

Sex Male Female Birth Date ___/___/___ Last 4 SSN _____ Last Name 2 Letters ___ (Birth Name)

Date Last Treated ___/___/___

Education at Discharge (if education at admission was entered incorrectly, it must be updated in "Client Management" online)

- | | | | |
|---------------------------------------|------------------------------|--|---|
| <input type="checkbox"/> No education | <input type="checkbox"/> 5th | <input type="checkbox"/> 10th | <input type="checkbox"/> Vocational Cert w/ Diploma/GED |
| <input type="checkbox"/> 1st | <input type="checkbox"/> 6th | <input type="checkbox"/> 11th | <input type="checkbox"/> Some College-No degree |
| <input type="checkbox"/> 2nd | <input type="checkbox"/> 7th | <input type="checkbox"/> High School Diploma | <input type="checkbox"/> Associates Degree |
| <input type="checkbox"/> 3rd | <input type="checkbox"/> 8th | <input type="checkbox"/> General Equivalency Diploma | <input type="checkbox"/> Bachelors Degree |
| <input type="checkbox"/> 4th | <input type="checkbox"/> 9th | <input type="checkbox"/> Vocational Cert w/o Diploma/GED | <input type="checkbox"/> Graduate Degree |

Employment

Employment Status

- | | | |
|---|--|---|
| <input type="checkbox"/> Employed Full Time-35+ hrs/wk | <input type="checkbox"/> Not in Labor Force, Disabled | <input type="checkbox"/> Social Services Work Exp Program |
| <input type="checkbox"/> Employed Part Time-<35 hrs/wk | <input type="checkbox"/> Not in Labor Force, In Training | <input type="checkbox"/> Social Services Determined, Not Employed/Able to Work |
| <input type="checkbox"/> Employed in Sheltered Workshop | <input type="checkbox"/> Not in Labor Force, Inmate | <input type="checkbox"/> Social Services Determined, Unable to Work, Mandated Treatment |
| <input type="checkbox"/> Unemployed, Looking for Work | <input type="checkbox"/> Not in Labor Force, Retired | <input type="checkbox"/> Unknown |
| <input type="checkbox"/> Unemployed, Not Looking for Work | <input type="checkbox"/> Not in Labor Force, Student | |
| <input type="checkbox"/> Not in Labor Force, Child Care | <input type="checkbox"/> Not in Labor Force, Other | |

Length of Employment at Discharge: 0-30 Days 31-60 Days 61-90 Days 91-120 Days 121+ Days

Type of Residence

- | | | |
|--|--|--|
| <input type="checkbox"/> Private Residence | <input type="checkbox"/> CD Community Residence | <input type="checkbox"/> Institution, Other (jail, hospital) |
| <input type="checkbox"/> Homeless, Shelter | <input type="checkbox"/> CD Supportive Living | <input type="checkbox"/> Other |
| <input type="checkbox"/> Homeless, No Shelter | <input type="checkbox"/> MH/MRDD Community Residence | |
| <input type="checkbox"/> Single Resident Occupancy | <input type="checkbox"/> Other Group Residential Setting | |

Living Arrangements Living Alone Living w/ Non-Related Persons Living with Spouse/Relatives

Primary Payment Source

- | | | |
|--|---|--|
| <input type="checkbox"/> None | <input type="checkbox"/> Medicaid Pending | <input type="checkbox"/> Private Insurance – Fee for Service |
| <input type="checkbox"/> Self-Pay | <input type="checkbox"/> Medicare | <input type="checkbox"/> Private Insurance – Managed Care |
| <input type="checkbox"/> Medicaid | <input type="checkbox"/> DSS Congregate Care | <input type="checkbox"/> Other |
| <input type="checkbox"/> Medicaid Managed Care | <input type="checkbox"/> Department of Veterans Affairs | |

Mental Health

- | | |
|--|--|
| Co-existing Psychiatric disorder | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Ever Treated for a mental illness problem | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Ever Hospitalized for mental illness | <input type="checkbox"/> Yes <input type="checkbox"/> No |
| Ever Hospitalized 30 or more days for mental illness | <input type="checkbox"/> Yes <input type="checkbox"/> No |

Gambling & Tobacco Goal Achievements

| Gambling | Tobacco (Nicotine) |
|--|--|
| <input type="checkbox"/> Achieved | <input type="checkbox"/> Achieved |
| <input type="checkbox"/> Partial Achievement | <input type="checkbox"/> Partial Achievement |
| <input type="checkbox"/> Not Achieved | <input type="checkbox"/> Not Achieved |
| <input type="checkbox"/> Not Applicable | <input type="checkbox"/> Not Applicable |

Total Treatment Visits – For use only by Outpatient Programs (Excluding Methadone Maintenance Programs)

Total Treatment Visits _____
 Individual Counseling Sessions _____ (Provided by a primary counselor)
 Group Counseling Sessions _____ (Provided by a primary counselor)
 Family Counseling Sessions _____ (Provided by any direct care staff)

Recent History:

No. of Arrests in Prior 30 Days _____ (or during treatment if stay was less than 30 days)

Six Months Prior to Discharge (or during treatment if stay was less than 6 months)

Number of Arrests _____ Days Incarcerated _____
 Days Hospitalized _____ Days in Inpatient Detox _____
 Number of ER Episodes _____

NYS Office of Alcoholism and Substance Abuse Services
Client Discharge Report
FOR DISCHARGES DATED 4/1/2009 AND BEYOND

Status of Alcohol and Other Drug Use at Discharge

| Status of Problem Substances Reported at Admission | | |
|--|------------|-------------------------------|
| | Substance* | Frequency of Use at Discharge |
| Primary | | |
| Secondary | | |
| Tertiary | | |

| |
|---|
| Frequency of Use No use in last 30 days** 1-3 times last 30 days 1-2 times per week 3-6 times per week Daily |
|---|

*Note: Substance(s) reported at admission will be pre-filled on the Client Data System

**If treatment cycle is less than 30 days, this should be used. Please refer to PAS-45N Instructions.

Status of Different Problem Substances Used and Not Reported at Admission (if any)

First Problem Substance

- | | | | |
|--|--|--|---|
| <input type="checkbox"/> None | <input type="checkbox"/> OxyContin | <input type="checkbox"/> GHB | <input type="checkbox"/> Other Hallucinogen |
| <input type="checkbox"/> Alcohol | <input type="checkbox"/> Other Opiate/Synthetic | <input type="checkbox"/> Khat | <input type="checkbox"/> Ephedrine |
| <input type="checkbox"/> Cocaine | <input type="checkbox"/> Alprazolam (Xanax) | <input type="checkbox"/> Other Tranquillizer | <input type="checkbox"/> Inhalant |
| <input type="checkbox"/> Crack | <input type="checkbox"/> Barbiturate | <input type="checkbox"/> Methamphetamine | <input type="checkbox"/> Ketamine |
| <input type="checkbox"/> Marijuana/Hashish | <input type="checkbox"/> Benzodiazepine (e.g., Klonopin) | <input type="checkbox"/> Other Amphetamine | <input type="checkbox"/> ROHYPNOL |
| <input type="checkbox"/> Heroin | <input type="checkbox"/> Catapres (Clonidine) | <input type="checkbox"/> Other Stimulant | <input type="checkbox"/> Viagra |
| <input type="checkbox"/> Buprenorphine | <input type="checkbox"/> Other Sedative /Hypnotic | <input type="checkbox"/> PCP | <input type="checkbox"/> Over-the-Counter |
| <input type="checkbox"/> Non-Rx Methadone | <input type="checkbox"/> Elavil | <input type="checkbox"/> Ecstasy | <input type="checkbox"/> Other |

Route of Administration Inhalation Injection Oral Smoking Other

Frequency of Use No use last 30 days 1-3 times last 30 days 1-2 times per week 3-6 times per week Daily

Second Problem Substance

- | | | | |
|--|--|--|---|
| <input type="checkbox"/> None | <input type="checkbox"/> OxyContin | <input type="checkbox"/> GHB | <input type="checkbox"/> Other Hallucinogen |
| <input type="checkbox"/> Alcohol | <input type="checkbox"/> Other Opiate/Synthetic | <input type="checkbox"/> Khat | <input type="checkbox"/> Ephedrine |
| <input type="checkbox"/> Cocaine | <input type="checkbox"/> Alprazolam (Xanax) | <input type="checkbox"/> Other Tranquillizer | <input type="checkbox"/> Inhalant |
| <input type="checkbox"/> Crack | <input type="checkbox"/> Barbiturate | <input type="checkbox"/> Methamphetamine | <input type="checkbox"/> Ketamine |
| <input type="checkbox"/> Marijuana/Hashish | <input type="checkbox"/> Benzodiazepine (e.g., Klonopin) | <input type="checkbox"/> Other Amphetamine | <input type="checkbox"/> ROHYPNOL |
| <input type="checkbox"/> Heroin | <input type="checkbox"/> Catapres (Clonidine) | <input type="checkbox"/> Other Stimulant | <input type="checkbox"/> Viagra |
| <input type="checkbox"/> Buprenorphine | <input type="checkbox"/> Other Sedative /Hypnotic | <input type="checkbox"/> PCP | <input type="checkbox"/> Over-the-Counter |
| <input type="checkbox"/> Non-Rx Methadone | <input type="checkbox"/> Elavil | <input type="checkbox"/> Ecstasy | <input type="checkbox"/> Other |

Route of Administration Inhalation Injection Oral Smoking Other

Frequency of Use No use last 30 days 1-3 times last 30 days 1-2 times per week 3-6 times per week Daily

Third Problem Substance

- | | | | |
|--|--|--|---|
| <input type="checkbox"/> None | <input type="checkbox"/> OxyContin | <input type="checkbox"/> GHB | <input type="checkbox"/> Other Hallucinogen |
| <input type="checkbox"/> Alcohol | <input type="checkbox"/> Other Opiate/Synthetic | <input type="checkbox"/> Khat | <input type="checkbox"/> Ephedrine |
| <input type="checkbox"/> Cocaine | <input type="checkbox"/> Alprazolam (Xanax) | <input type="checkbox"/> Other Tranquillizer | <input type="checkbox"/> Inhalant |
| <input type="checkbox"/> Crack | <input type="checkbox"/> Barbiturate | <input type="checkbox"/> Methamphetamine | <input type="checkbox"/> Ketamine |
| <input type="checkbox"/> Marijuana/Hashish | <input type="checkbox"/> Benzodiazepine (e.g., Klonopin) | <input type="checkbox"/> Other Amphetamine | <input type="checkbox"/> ROHYPNOL |
| <input type="checkbox"/> Heroin | <input type="checkbox"/> Catapres (Clonidine) | <input type="checkbox"/> Other Stimulant | <input type="checkbox"/> Viagra |
| <input type="checkbox"/> Buprenorphine | <input type="checkbox"/> Other Sedative /Hypnotic | <input type="checkbox"/> PCP | <input type="checkbox"/> Over-the-Counter |
| <input type="checkbox"/> Non-Rx Methadone | <input type="checkbox"/> Elavil | <input type="checkbox"/> Ecstasy | <input type="checkbox"/> Other |

Route of Administration Inhalation Injection Oral Smoking Other

Frequency of Use No use last 30 days 1-3 times last 30 days 1-2 times per week 3-6 times per week Daily

Tobacco

Frequency of Use in Past 30 Days (if stay is less than 30 days report use since admission or since last MCAS (for methadone programs)):

No use last 30 days 1-3 times last 30 days 1-2 times per week 3-6 times per week Daily

Date Last Used: Month ___ Year _____ (not entered if stay is less than 30 days)

Primary Route of Administration: Smoking Chewing

NYS Office of Alcoholism and Substance Abuse Services
Client Discharge Report
FOR DISCHARGES DATED 4/1/2009 AND BEYOND

Discharge Reason & Referral Information

Discharge Status

- Completed Treatment: All Goals Met
- Completed Treatment: Half or More Goals Met
- Treatment Not Completed: Maximum Benefit/Clinical Discharge
- Treatment Not Completed: Some Goals Met
- Treatment Not Completed: No Goals Met

Discharge Disposition (CHECK ONE)

- Additional treatment at this level of care no longer necessary
- Further treatment at this level unlikely to yield added clinical gains
- Left against clinical advice: Formal referral made/offered
- Left against clinical advice: Lost to contact (no referral possible)
- Left against clinical advice: Termination of third party funds
- Discharged due to non-compliance with program rules
- Discharged due to regulatory requirements (note: *crisis programs*)
- Client arrested/incarcerated
- Client could no longer participate for medical/psych. reasons
- Client death
- Client relocated
- Program closed

Referral Disposition (CHECK ONE)

- No referral made
- Client not in need of additional services
- Referred back to CD* program
- Referred to other CD* program
- Referred to Mental Health Program
- Referred to non-CD* or non-MH treatment
- Referred to Gambling Program
- Refused referral

*CD=chemical dependence

Is the client currently Attending 12-Step or Other Self-help Group Meetings (last 30 days)?

- Yes No

Referral Category (CHECK ONE)

Chemical Dependency (CD) Programs

- CD Program in New York State
- CD Program Out of State
- CD VA Program
- CD Private Practitioner

Health Institutions

- Hospital
- Hospital (Long Term)/ Nursing Home
- Nursing Home, Long Term Care
- Group Home, Foster Care

Mental Health Programs

- Mental Health Community Residence
- Mental Health Inpatient
- Mental Health Outpatient
- Mental Retardation/Dev Disabilities

- Other Referral

- No Referral Made
- Refused Referral

Evaluation of Client's Goal Achievement

Drug Use

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

Social Functioning

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

Family Situation

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

Alcohol Use

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

Vocational/Educational

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

Emotional Functioning

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

Medical Conditions

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

Legal

- Achieved
- Partial Achievement
- Not Achieved
- Not Applicable

NYS Office of Alcoholism and Substance Abuse Services
Client Discharge Report
FOR DISCHARGES DATED 4/1/2009 AND BEYOND

Addiction Medications Used During Treatment

CHECK ALL THAT APPLY. Select "**NONE**" if no addiction medications were used.

- Methadone
- Buprenorphine
- Zyban/Wellbutrin
- Naltrexone/Revia/Vivitrol
- Antabuse
- Nicotine Lozenges
- Nicotine Gum
- Nicotine Patch
- Chantix
- Campral
- Other Addiction Medications
- None

Domestic Violence

Client ever a victim of domestic violence? Yes No Don't Know Refused to Answer

Client ever a perpetrator of domestic violence? Yes No Don't Know Refused to Answer

Orientation to Change (For use only by Residential Rehabilitation for Youth Programs or Other Program Types Participating in Special Projects With OASAS)

Which statement best characterizes this patient's orientation to change with respect to alcohol/drug use at the time of discharge?

- Ambivalent
- Change Oriented
- Planning Change
- Active Early Recovery
- Ongoing Recovery and Relapse Prevention

For Provider Use (Optional)

Signature

Title

Date